

**WADSWORTH CENTER**  
**NEW YORK STATE DEPARTMENT OF HEALTH**  
**ENVIRONMENTAL LABORATORY APPROVAL PROGRAM**

**Proficiency Test Report**

Lab Id: 11642      USGS NATIONAL WATER QUALITY LABORATORY  
 POB 25046-MS 407-BLDG 95  
 EPA Lab Code:    DENVER, CO-80225-0046  
 CO00009          (303) 236-2000  
 Director: MR. MERLE SHOCKEY

Shipment Date : 19-Jul-2004  
 Closing Date : 02-Sep-2004  
 Score Date : 23-Sep-2004

This report may contain data that are not covered by the NVLAP accreditation.

\*\* Indicates NVLAP accredited analyte evaluated using the USEPA's National Standards for Water Proficiency Testing Studies Criteria Document.  
 NVLAP Lab Code 200387-0. ELAP is an A2LA accredited Proficiency Testing Provider. Certificate Number 1785.01

Shipment: 275      Non Potable Water Chemistry

Analyte Name	Units	Sample ID	Method	Result	Mean/Target *	Warning Limits	Acceptance Limits	Score
<b>Sample: Non Potable Water    Acid extractables</b>								
2-Chlorophenol EPA Code: N/A	ug/L	7535	USGS O-3116-87 (USGS Only)	152	115		42.5 - 188	Satisfactory <i>84 passed out of 87 reported results.</i>
2-Nitrophenol EPA Code: N/A	ug/L	7535	USGS O-3116-87 (USGS Only)	26.9	22.8		9.36 - 36.2	Satisfactory <i>84 passed out of 87 reported results.</i>
4-Chloro-3-methylphenol EPA Code: N/A	ug/L	7535	USGS O-3116-87 (USGS Only)	152	144		67.6 - 220	Satisfactory <i>82 passed out of 88 reported results.</i>
Phenol EPA Code: N/A	ug/L	7535	USGS O-3116-87 (USGS Only)	< 5.0	< 10.0 *			Satisfactory <i>85 passed out of 87 reported results.</i>
<b>Sample: Non Potable Water    Base/Neutrals</b>								
1,2,4-Trichlorobenzene EPA Code: N/A	ug/L	7536	USGS O-3116-87 (USGS Only)	< 5.0	< 10.0 *			Satisfactory <i>86 passed out of 88 reported results.</i>
2,4-Dinitrotoluene EPA Code: N/A	ug/L	7536	USGS O-3116-87 (USGS Only)	106	94.1		44.4 - 144	Satisfactory <i>81 passed out of 83 reported results.</i>
2,6-Dinitrotoluene EPA Code: N/A	ug/L	7536	USGS O-3116-87 (USGS Only)	182	143		63.8 - 222	Satisfactory <i>81 passed out of 83 reported results.</i>
2-Chloronaphthalene EPA Code: N/A	ug/L	7536	USGS O-3116-87 (USGS Only)	30.1	26.8		12.3 - 41.3	Satisfactory <i>79 passed out of 84 reported results.</i>
4-Chlorophenylphenyl ether EPA Code: N/A	ug/L	7536	USGS O-3116-87 (USGS Only)	120	96.6		43.1 - 150	Satisfactory <i>81 passed out of 83 reported results.</i>
4-Bromophenylphenyl ether EPA Code: N/A	ug/L	7536	USGS O-3116-87 (USGS Only)	95.5	72.2		36.7 - 108	Satisfactory <i>79 passed out of 83 reported results.</i>